#### **PATENT**

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF: JEFFREY D. CROUCH ET AL.

10/785.453

FILED:

APPLICATION NO.:

**FEBRUARY 23, 2004** 

For:

METHODS AND SYSTEMS FOR REMOVING MATERIAL FROM AIRCRAFT FLIGHT SURFACES EXAMINER:

STEPHEN A. HOLZEN

ART UNIT:

3644

CONF. NO:

8540

## Request for Refund (Improper Charge of Deposit Account)

MS 16 Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

This is a request for a refund, with respect to an improper charge to Deposit —— Account No. 50-0665, for the above-identified application (Attorney Docket 03004-8110US). The Deposit Account was improperly charged \$430.00 for a two-month extension of time fee with respect to a Response filed with the Office on October 7, 2004. For the reasons described below, an extension of time and the corresponding fee were not required.

On July 16, 2004, the Examiner mailed a Restriction Requirement (which is enclosed herewith) providing a shortened statutory period for reply of 3 months. On October 7, 2004, the undersigned attorney filed a Response to the Restriction Requirement, which is enclosed herewith. Because the Response was filed within the specified period of 3 months, no extension of time was necessary. Accordingly, the two-month extension of time fee charged to the Deposit Account No. 50-0665 was improper. Please refund \$430.00 to Deposit Account! No. 50-0665.

Attorney Docket No. 108298514US2 Disclosure No. 99-0798.02

Please contact David T. Dutcher at (206) 359-6465 with any questions.

Respectfully submitted,

Perkins Coie LLP

Date: Dec. 20,2004

David T. Dutcher Registration No. 51,638

**Correspondence Address:** 

Customer No. 25096
Perkins Coie LLP
P.O. Box 1247
Seattle, Washington 98111-1247
(206) 359-8000



SEATTLE, WA 98111-1247

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMM United States Patent and Trademark Office Addres: COMMISSIONER FOR PATENTS P.O. Box 1459 Alexandria, Virginia 22313-1450 www.uspic.gov

APPLICATION NO. FILING DATE FIRST NAMED INVENTOR ATTORNEY DOCKET NO. CONFIRMATION NO. 10/785,453 02/23/2004 Jeffrey D. Crouch 030048110US 8540 **EXAMINER** 25096 7590 07/16/2004 RECEIVED PERKINS COIE LLP HOLZEN, STEPHEN A PATENT-SEA JUL 19 2004 ART UNIT PAPER NUMBER P.O. BOX 1247

PERKINS COIE LLP

3644 DATE MAILED: 07/16/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
Office Action Summary	10/785,453	CROUCH ET AL.
	Examiner	Art Unit
	Stephen A. Holzen	3644
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet wi	th the correspondence address
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a rep - If NO period for reply specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailir earned patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a re- ly within the statutory minimum of thirt will apply and will expire SIX (6) MON e, cause the application to become AB	epty be timely filed  y (30) days will be considered timely.  THS from the mailing date of this communication.  ANDONED (35 U.S.C. \$ 133)
Status	:	
1) Responsive to communication(s) filed on	·	
	s action is non-final.	
3) Since this application is in condition for allowa	nce except for formal matte	ers, prosecution as to the merits is
closed in accordance with the practice under	Ex parte Quayle, 1935 C.D.	11, 453 O.G. 213.
Disposition of Claims	:	
4)⊠ Claim(s) <u>1-46</u> is/are pending in the application		
4a) Of the above claim(s) is/are withdra		
5) Claim(s) is/are allowed.		·
6) Claim(s) is/are rejected.	·	
7) Claim(s) is/are objected to.		
8) Claim(s) 1-46 are subject to restriction and/or	election requirement.	
Application Papers		
9) The specification is objected to by the Examine	r.	
10) The drawing(s) filed on is/are: a) acc		v the Examiner
Applicant may not request that any objection to the		
Replacement drawing sheet(s) including the correct		
11) The oath or declaration is objected to by the Ex		
Priority under 35 U.S.C. § 119	•	
12)☐ Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. &	119(a)-(d) or (f)
a) ☐ All b) ☐ Some * c) ☐ None of:	, , , , , , , , , , , , , , , , , , ,	1.10(a) (a) 6. (1).
1. Certified copies of the priority documents	s have been received.	
2. Certified copies of the priority documents		plication No
<ol><li>Copies of the certified copies of the prior</li></ol>		
application from the International Bureau		
* See the attached detailed Office action for a list	of the certified copies notire	eceived.
Attachment(s)  1) Notice of References Cited (PTO-892)		
2) Notice of References Cited (PTO-892)  Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) [_] Interview Sur Paper No(s)/I	nmary (PTO-413) Mail Date
Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)     Paper No(s)/Mail Date		rmal Patent Application (PTO-152)
S Patent and Trademark Office	J. J	

PTOL-326 (Rev. 1-04)

Office Action Summary

Part of Paper No./Mail Date 20040704

#### **DETAILED ACTION**

#### Election/Restrictions

- 1. Restriction to one of the following inventions is required under 35 U.S.C. 121:
  - Claims 1-38, drawn to an aircraft system, classified in class 244, subclass
     134R.
  - II. Claims 39-46, drawn to a method of manufacturing a wiper system, classified in class 244, subclass 134R.

The inventions are distinct, each from the other because of the following reasons:

- 2. Inventions I and II are related as process of making and product made. The inventions are distinct if either or both of the following can be shown: (1) that the process as claimed can be used to make other and materially different product or (2) that the product as claimed can be made by another and materially different process (MPEP § 806.05(f)). In the instant case the process as claimed can be used to make other and materially different products.
- 3. Because these inventions are distinct for the reasons given above and the search required for Group I is not required for Group II, restriction for examination purposes as indicated is proper.
- 4. Upon election of the above distinct groups the applicant is required to identify and elect a single species for examination. This application contains claims directed to

Application/Control Number: 10/785,453

Art Unit: 3644

patentably distinct species of the claimed invention as identified by the applicant in the specification found on pages 2-3.

Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, no claims are generic.

Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement; and a listing of all claims readable thereon, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Should applicant traverse on the ground that the species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.

Application/Control Number: 10/785,453

Art Unit: 3644

5. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen A. Holzen whose telephone number is 703-308-2484. The examiner can normally be reached on M-F 7:30 - 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael J. Carone can be reached on 703 306-4198. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Sah

Chr.

PTO/SB/21 (04-04)
Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no per	sons are required to re-			n unless it displays a valid OMB control number	
		Application Number		10/785,453-Conf. #8540	
TRANSMITT	TRANSMITTAL FORM		•	February 23, 2004	
FORM				Jeffrey D. Crouch	
(to be used for all correspondence afte	er initial filina)	Art Unit		3644	
(10 De acco las all consequences	(10 20 300 10 of the original and a find a find of		-:1	S. A. Holzen	
Total Number of Pages in This Submis	sion 10	Attorney Docket Numb	per :	030048110US	
ENCLOSURES (Check all that apply)					
Fee Transmittal Form	Drawing(s)			After Allowance communication to Technology Center (TC)	
Fee Attached	Licensing-rel	Licensing-related Papers		Appeal Communication to Board of Appeals and Interferences	
X Amendment/Reply	Petition	Petition		Appeal Communication to TC (Appeal Notice, Brief, Reply Brief)	
After Final	Petition to Convert to a Provisional Application			Proprietary Information	
Affidavits/declaration(s)	Power of Attorney, Revocation Change of Correspondence Address			Status Letter	
Extension of Time Request	Terminal Disclaimer			Other Enclosure(s) (please Identify below):	
Express Abandonment Request	Request for	Refund	i		
Information Disclosure Statement	CD, Number	of CD(s)			
Certified Copy of Priority		<del></del>			
Document(s)  Response to Missing Parts/	Remarks		<del></del>		
Incomplete Application			:		
Response to Missing Parts under 37 CFR 1.52 or 1.53			:		
SIGNATU	JRE OF APPLICA	NT, ATTORNEY, OR	AG	ENT	
Firm PERKINS COIE LLP					
or Individual name David T. Dutcher - 5	1,638				
Signature Las VIII	E/				
Date Oct. 7,20	04		<del></del>		
			•		
			<del>-</del>		
I hereby certify that this correspondence is be 9306, on the date shown below.	eing facsimile transmit			` '	
Dated: 10 7 04 s	ignature:	clos the	برا	(Melody Almberg)	

## Certificate of Transmission Under:37 CFR 1.8

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office

Melody Almberg

Typed or printed name of person signing Certificate

Each paper must have its own certificate of transmission, or this certificate must identify each submitted paper.

Amendment in Response to Restriction Requirement (10 pgs); PTO/SB/21 (1 pg); and

Certificate of Transmission under 37 CFR 1.8 (1 page).

I hereby certify that this correspondence is being transmitted via facsimile to the United States Patent and Trademark Office at (703) 872-9306, on:

Date: 10 7 04

By: Molod J. Almberg

#### **PATENT**

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF: JEFFREY D. CROUCH ET AL.

EXAMINER: STEPHEN A. HOLZEN

APPLICATION No.:

10/785,453

3644

FILED:

FEBRUARY 23, 2004

CONF. NO:

ART UNIT:

8540

For:

METHODS AND SYSTEMS FOR REMOVING MATERIAL FROM AIRCRAFT FLIGHT SURFACES

#### Amendment in Response to Restriction Requirement

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In response to the Office Action dated July 16, 2004, please amend the application as reflected in the following listing of claims.

#### Amendment to the Claims

Please cancel claims 39-46 without prejudice to pursuing these claims in a divisional, continuation, continuation-in-part, or other application. Please withdraw claims 8, 9, 13 and 14 without prejudice.

- 1. (Original) An aircraft system, comprising:
- an inlet housing having a lip;
- a wiper positioned at the lip and movable relative to the lip; and
- a drive assembly positioned at least partially within the inlet housing and operably coupled to the wiper, the drive assembly being configured to move the wiper relative to the inlet housing to remove material from at least a portion of the lip.
- 2. (Original) The system of claim 1 wherein:
- the inlet housing further includes an interior surface and an exterior surface radially outward of the interior surface;
- the wiper includes a first end portion at least proximate to the interior surface and a second end portion at least proximate to the exterior surface; and
- the system further comprises a first attachment device coupling the first end portion to the inlet housing and a second attachment device coupling the second end portion to the inlet housing.
- 3. (Original) The system of claim 1 wherein:
- the wiper includes a first end portion and a second end portion opposite the first end portion;
- the system further comprises an attachment device coupled to the first end portion of the wiper; and
- the drive assembly includes an annular member coupled to the attachment device and a motor operably coupled to the annular member to move the annular member and the first end portion of the wiper relative to the inlet housing.

- 4. (Original) The system of claim 1 wherein:
- the wiper includes a first end portion and a second end portion opposite the first end portion;
- the system further comprises an attachment device coupled to the first end portion of the wiper;
- the drive assembly includes an annular member coupled to the attachment device and a motor operably coupled to the annular member to move the annular member and the first end portion of the wiper relative to the inlet housing; and

the annular member includes a strap, a cable, a chain, and/or a ring.

- 5. (Original) The system of claim 1 wherein:
- the wiper includes a first end portion and a second end portion opposite the first end portion;
- the system further comprises an attachment device coupled to the first end portion of the wiper; and
- the drive assembly includes a cart movable within the inlet housing and operably coupled to the attachment device to move the first end portion of the wiper.
- 6. (Original) The system of claim 1 wherein:
- the wiper includes a first end portion and a second end portion opposite the first end portion;
- the system further comprises an attachment device coupled to the first end portion of the wiper, the attachment device having a first magnet; and
- the drive assembly includes a cart having a second magnet and being movable relative to the inlet housing, the first and second magnets being positioned to interact so that the attachment device moves with the cart.
- 7. (Original) The system of claim 6 wherein the wiper is configured to fail at a force less than a force required to dislodge the attachment device.

- 8. (Withdraw) The system of claim 1 wherein:
- the wiper includes a first end portion coupled to the drive assembly and a second end portion opposite the first end portion; and
- the system further comprises a drag member having a first portion coupled to the second end portion of the wiper and a second portion opposite the first portion, the drag member being movable between a stowed position and a deployed position, with the second portion of the drag member being unsecured to the inlet housing when the drag member is in the deployed position.
- 9. (Withdraw) The system of claim 1 wherein:
- the wiper includes a first end portion coupled to the drive assembly and a second end portion opposite the first end portion;
- the system further comprises a drag member having a first portion coupled to the second end portion of the wiper and a second portion opposite the first portion, the drag member being movable between a stowed position and a deployed position, with the second portion of the drag member being unsecured to the inlet housing when the drag member is in the deployed position; and
- the inlet housing has a recess sized and positioned to receive the drag member in the stowed position.
- 10. (Original) The system of claim 1 wherein the wiper includes a wire.
- 11. (Original) The system of claim 1 wherein the wiper includes a strap.
- 12. (Original) The system of claim 1, further comprising an axially resilient member positioned to provide tension to the wiper as the wiper moves relative to the inlet housing during a cleaning cycle.

- 13. (Withdraw) The system of claim 1, further comprising a cleaning fluid reservoir and a fluid conduit in fluid communication with the wiper and the fluid reservoir to provide cleaning fluid to the wiper.
  - 14. (Withdraw) The system of claim 1 wherein:
  - the wiper includes a wicking material to move cleaning fluid through at least a portion of the wiper; and
  - the system further comprises a cleaning fluid reservoir in fluid communication with the wicking material.
  - 15. (Original) The system of claim 1 wherein:
  - the inlet housing further includes a first portion, a second portion, and a groove between the first and second portions; and
  - the drive assembly is configured to move the wiper from a stowed position in which the wiper is received at least partially in the groove and a deployed position in which the wiper is external to the groove.
  - 16. (Original) The system of claim 1 wherein: the lip of the inlet housing has a contour; and the wiper is flexible to generally conform to the contour of the lip.
  - 17. (Original) The system of claim 1 wherein:
    the lip has a generally annular configuration; and
    the drive system is configured to move the wiper around the annular lip.
- 18. (Original) The system of claim 1 wherein the drive assembly is configured to move the wiper relative to the inlet housing to remove material during flight at an air speed of greater than 100 mph.
  - 19. (Original) The system of claim 1, further comprising: a wing coupled to the inlet housing; a fuselage attached to the wing; and

a tail coupled to the fuselage.

- 20. (Original) The system of claim 1 wherein the wiper includes:
- a body having a carrier and a plurality of discrete cleaning elements attached to the carrier; and
- a cord coupled to the carrier and the drive assembly to move the wiper relative to the inlet housing.
- 21. (Original) An aircraft system, comprising:
- a contoured exterior aircraft surface defining a leading edge;
- a wiper having a first end portion, a second end portion, and a body extending between the first and second end portions, with at least a portion of the body contacting the leading edge; and
- a drive assembly operably coupled to at least one of the first and second end portions to move the wiper relative to the surface to remove material from the leading edge during flight at an air speed of greater than 100 mph.
- 22. (Original) The system of claim 21, further comprising an attachment device coupled to the first end portion of the wiper, wherein the drive assembly includes an annular member connected to the attachment device and a motor operably coupled to the annular member to move the annular member and the first end portion of the wiper relative to the leading edge.
  - 23. (Original) The system of claim 21, further comprising: an inlet housing including the contoured exterior aircraft surface; and an attachment device coupled to the first end portion of the wiper; wherein the drive assembly includes a cart movable within the inlet housing and operably coupled to the attachment device to move the first end portion of the wiper.
- 24. (Original) The system of claim 21 wherein the body of the wiper includes at least one of a wire and a strap.

- 25. (Original) The system of claim 21 wherein the drive assembly includes:
- a first motor operably coupled to the first end portion of the wiper to move the first end portion relative to the surface; and
- a second motor operably coupled to the second end portion of the wiper to move the second end portion relative to the surface.
- 26. (Original) The system of claim 21, further comprising:
- a wing coupled to the inlet housing;
- a fuselage attached to the wing; and
- a tail coupled to the fuselage.
- 27. (Original) An aircraft system, comprising:

an inlet housing having a lip;

- wiping means for removing material from at least a portion of the lip during flight; and
- driving means for moving the wiping means relative to the lip, the driving means being operably coupled to the wiping means and positioned at least partially within the inlet housing.
- 28. (Original) The system of claim 27 wherein the wiping means includes at least one of a wire and a strap.
  - 29. (Original) The system of claim 27 wherein the driving means includes: an annular member coupled to the wiping means; and a motor operably coupled to the annular member to move the annular member and the wiping means relative to the lip.
- 30. (Original) The system of claim 27 wherein the driving means includes a cart movable within the inlet housing and operably coupled to the wiping means to move the wiping means relative to the lip.

- 31. (Original) The system of claim 27 wherein:
- the inlet housing further includes an interior surface and an exterior surface radially outward of the interior surface; and
- the wiping means includes a first wiping portion for wiping at least a portion of the interior surface and a second wiping portion for wiping at least a portion of the exterior surface.
- 32. (Original) An aircraft system, comprising:
- an inlet housing having an exterior surface, an interior surface radially inward of the exterior surface, and a lip surface extending between the exterior and interior surfaces;
- a wiper having a first end portion proximate to the interior surface, a second end portion proximate to the exterior surface, and a body extending between the first and second end portions, the body being flexible to generally conform to the lip surface;
- an attachment device coupled to the first end portion of the wiper; and
- a drive assembly including an annular member operably coupled to the attachment device and a motor operably coupled to the annular member to move the wiper across the inlet housing and remove insects from at least a portion of the lip surface during flight.
- 33. (Original) The system of claim 32 wherein the wiper includes at least one of a wire and a strap.
  - 34. (Original) The system of claim 32 wherein:

the attachment device is a first attachment device;

- the system further comprises a second attachment device attached to the second end portion of the wiper; and
- the drive assembly further includes a cart movable within the inlet housing and operably coupled to the second attachment device to move the second end portion of the wiper.

- 35. (Original) The system of claim 32 wherein: the lip surface has a generally annular configuration; and the drive system is configured to move the wiper around the annular lip surface.
- 36. (Original) A flow system, comprising:
- a body having a flow surface;
- a wiper having a filament; and
- a drive assembly at least partially within the body and operably coupled to the wiper to move the filament relative to the body to remove material from the flow surface.
- 37. (Original) The flow system of claim 36 wherein the filament comprises a wire.
- 38. (Original) The flow system of claim 36 wherein the flow body further comprises a leading edge.

39-46. (Cancelled)

#### REMARKS

In the above-referenced Office Action, the Examiner divided the claims into the following groups:

Group I, Claims 1-38, drawn to an aircraft system; and

Group II, Claims 39-46, drawn to a method of manufacturing a wiper system.

In addition, the Examiner required an election of species. During a telephone conference on August 11, 2004, the Examiner clarified that the different species are illustrated in Figures 2-9.

In response, the applicants elect Group I and the species illustrated in Figure 8, claims 1-7, 10-12 and 15-38. Applicants' attorney traverses the Examiner's assertion that no claim is generic and notes that at least claims 1, 21, 27, 32 and 36 are generic.

Upon allowance of the generic claims, applicants request consideration of claims to additional species which are written in dependent form or which otherwise include all the limitations of the allowed generic claims.

No fees are believed due with this communication. However, the Commissioner is hereby authorized and requested to charge any deficiency in fees herein to Deposit Account No. 50-0665.

Respectfully submitted,

Perkins Coie LLP

Date: Oct. 7, 2004

David T. Dutcher

Registration No. 51,638

**Correspondence Address:** 

Customer No. 25096
Perkins Coie LLP
P.O. Box 1247
Seattle, Washington 98111-1247
(206) 359-8000

# **Auto-Reply Facsimile Transmission**



TO:

Fax Sender at 206 583 8500

Fax Information

Date Received: Total Pages:

10/7/2004 7:06:13 PM [Eastern Daylight Time]

13 (including cover page)

ADVISORY: This is an automatically generated return receipt confirmation of the facsimile transmission received by the Office. Please check to make sure that the number of pages listed as received in Total Pages above matches what was Intended to be sent. Applicants are advised to retain this receipt in the unlikely event that proof of this facsimile transmission is necessary. Applicants are also advised to use the certificate of facsimile transmission procedures set forth in 37 CFR 1.8(a) and (b), 37 CFR 1.6(f). Trademark Applicants, also see the Trademark Manual of Examining Procedure (TMEP) section 306 et seq.

Received Cover Page =====>

	IE LLP	₩ 001
FACSEMILE COVER SHEET CONFIDENTIAL AND PRIVILEGED		Perkins Cole
If there are any problems with this transmission, please call  Courtal Feat Room: 206 559-8575 505 Union: 206  Gallend Reception: 206 559-8000 78ender's name  Individual Floor:	287-350s	Saethe WA phos pope neme su 6379 hours fou su 6279 pour mine publication auto
DATE: October 7, 2004 COVER SHEET & 11 P.	AGE(S)	
CLIENT NUMBER 03004-8110US		•
RETURN TO: (News) Melady (Dec.)	5771 (Roose No.	4183
ORIGINAL DOCUMENT(6) WILL BE: SENT TO YOU SHE	.D IN OUR FILES	•
Seader:	TRI EPHONE:	FACSIVILE:
Melody J. Almberg	(208) 359-6771	(206) 359-7771
RECIPIENT: COMPANY:	THE THIONE:	VACSIMILE:
Stephen A. Holzen USPTO - Art Unit 3844	703-306-4198	703-872-9306
		:
First Named Inventor: Settrey D. Crouch  Transmitted berewith is the Response to the Office Action and  Dated: 10 7 04 Motody  Metody	olka July 16, 2001. lof Almbaye	· · ·
Transmitted herewith is the Response to the Office Action an		
Transmitted berewith is the Response to the Office Action an		
Transmitted herewith is the Response to the Office Action an		
Transmitted herewith is the Response to the Office Action an	of addresses. Do not read, suppro	dispersions it unless you are the
Transmitted berewith is the Response to the Office Action and Office Action and Office (U) 7/04  Metody  This few combine confidential, privileged information introduced early for the insulant managed addresses. If you have received this few in our transfer states open it is take to	of addresses. Do secread, supported as secular at performance and as secular at performance contact.  1.1. 1261 Third Avenue, Sorte	disseminate it values you are the slates in from your rystem or call 4500. Seattle WA 08/01, 2009.

******* T *** ******* 1017038729306		
		· ·
3:10		
5:10		
<u>.</u>		
:		
		Perkin
		Coi
:		CON
!		1201 Third Avenue, Suite
		Seattle, WA 98101-
87-3505		. <u>૧</u> ૨ <u>૨</u> .કાર્ય સંપ્રકાત
nd phone numbe	er .	FUN 206,359.
	-	www.pe:Kinsocia
3E(S)		
771	(Room No.)	4183
	(2000)	
TELEPHONE		FACSIMILE:
		FACSIMILE: (206) 359-7771
TELEPHONE (206) 359-	5 <b>7</b> 71	(206) 359-7771
TELEPHONE	5771	
a	287-3505	287-3505 and phone number  AGE(S)  G771  (ROOM No.)



#### **FACSIMILE COVER SHEET** CONFIDENTIAL AND PRIVILEGED 1201 Third Avenue, Suite 4800 If there are any problems with this transmission, please call: Seattle, WA 98101-3099 Central Fax Room: 206 359-8575 505 Union: 206 287-3505 PHONE, 206,359,8000 FAX: 206.359.9000 Galland Reception: 206 359-8000 Sender's name and phone number www.perkinscole.com ☐ Individual Floor: DATE: <u>October 7, 2004</u> COVER SHEET & 11 PAGE(S) CLIENT NUMBER: **03004-8110US** RETURN TO: (NAME) Melody (Ext.) **6771** \_\_\_ (Room No.) <u>4183</u> ORIGINAL DOCUMENT(S) WILL BE: SENT TO YOU HELD IN OUR FILES SENDER: TELEPHONE: FACSIMILE: Melody J. Almberg (206) 359-6771 (206) 359-7771 RECIPIENT: COMPANY: TELEPHONE: FACSIMILE: Stephen A. Holzen USPTO - Art Unit 3644 703-306-4198 703-872-9306

RE:

U.S. Application No. 10/785,453

Filed: February 23, 2004

First Named Inventor: Jeffrey D. Crouch

Transmitted herewith is the Response to the Office Action mailed July 16, 2004...

Dated: 10 7 04

Melod J Almberg

This Fax contains confidential, privileged information intended only for the intended addressee. Do not read, copy or disseminate it unless you are the intended addressee. If you have received this Fax in error, please email it back to the sender at perkinscoie.com and delete it from your system or call us (collect) immediately at 206.359.8575, and mail the original Fax to Perkins Coie LLP, 1201 Third Avenue, Suite 4800, Seattle, WA 98101-3099.

#### RECEIVED CENTRAL FAX CENTER

Attorney Docket No. 03004-8110US **CLIENT REF No. 03-0716** 

OCT 07 2004

I hereby certify that this correspondence is being transmitted via facsimile to the United States Patent and Trademark Office at (703) 872-9306, on:

**PATENT** 

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF: JEFFREY D. CROUCH ET AL.

**EXAMINER:** 

STEPHEN A. HOLZEN

APPLICATION NO.:

10/785,453

**ART UNIT:** CONF. NO: 3644 8540

FILED:

**FEBRUARY 23, 2004** 

FOR:

**METHODS AND SYSTEMS FOR** REMOVING MATERIAL FROM AIRCRAFT FLIGHT SURFACES

#### Amendment in Response to Restriction Requirement

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In response to the Office Action dated July 16, 2004, please amend the application as reflected in the following listing of claims.

Adjustment date: 01/31/2005 SDIRETAL

10715/2004 RBALTIMO 00000003 500665 10785453

01 FC:1252

430.00 CR

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

# **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
Потикр.

# IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.